



Proportional **ANTI-SCALE DOSING SYSTEMS**for the protection of your boiler.



DOSAPLUS **1 TA 2P DG**Extended head and rotational brass connection unit with swivel nuts.



DOSAPLUS **21 TA 2P FF**Extended head and rotational brass connection unit with fixed nuts.



DOSAPLUS **1 2P DG**Brass head and rotational connection unit with swivel nuts.



DOSAPLUS **21 2P FF**Brass head and rotational connection unit with fixed nuts.



All products in the DOSAPLUS family are equipped with a 360° rotational connection unit for easy installation on both horizontal and vertical pipes.

DOSAPLUS **2 3P DG**Brass head and rotational connection unit with swivel nuts.



DOSAPLUS **22 3P FF**Brass head and rotational connection unit with fixed nuts.



DOSAPLUS **3 DG**Plastic head and rotational brass connection unit with swivel nuts



DOSAPLUS 13
Plastic head and rotational connection unit.



DOSAPLUS **23 FF**Plastic head and fixed female rotational brass connection unit.



DOSAPLUS **14**Plastic head and fixed female rotational plastic connection unit.



DOSAPLUS **4 DG**Plastic head and rotational brass connection unit with swivel nuts.



DOSAPLUS **24 FF**Plastic head and fixed female rotational brass connection unit.



EFFECTIVE

prevents the formation of limescale and deposits, improves thermal efficiency



HIGH PERFORMANCE reduces energy costs and maintenance costs



EASY MAINTENANCE thanks to ready-to-use powder refill







Discover more!



DOSAPLUS **33**Brass head and with a special 3 ports.





We value what really matters. Water

















